

TEXTILE  
SOLUTIONS.

INDUSTRY  
SOLUTIONS.

SCIENCE & SERVICE  
SOLUTIONS.

**CHT**

SMART CHEMISTRY  
WITH CHARACTER.

# RECOMMENDATION LIST TESCO

Edition November 15<sup>th</sup>, 2018

## CONTENT

1. INTRODUCTION
2. PRETREATMENT
3. DYEING
4. FINISHING
5. FIBRE AUXILIARIES
6. COATING
7. PRINTING & FLOCKING
8. JEANS & GARMENT

## 1. INTRODUCTION

CHT Germany GmbH published this recommendation list for TESCO, containing products, which are compliant with the requirements:

- TESCO - Restricted Substances in Textiles" (RSiT, version 14, October 2018)
- ZDHC Manufacturing Restricted Substances List (version 1.1, December 2015)
- F&F limits applicable for F&F products only (mentioned in RSiT, version 14)

Additionally all mentioned products are bluesign ® approved.

Please be advised that based on the information available to us from our raw material suppliers the current products offered in the product lines listed below do not exceed the limits of the above mentioned TESCO requirements. To the best of our knowledge, none of these substances are intentionally generated during production.

This list currently does not cover the complete portfolio of the CHT Group worldwide but will be updated permanently or whenever the demands are changing or the product range is being expanded.

This confirmation is only valid for the TESCO - Restricted Substances in Textiles (RSiT, version 14, October 2018) and ZDHC Manufacturing Restricted Substances List (version 1.1, December 2015).

If you have any questions concerning the application and further technical details, please contact

**Mrs. Lilia Lohrey**  
**CHT Germany GmbH**  
**Bismarckstr. 102**  
**72072 Tübingen**  
**Germany**  
**Tel.: +49 / (0) 7071 154 314**  
**e-mail: lilia.lohrey@cht.com**

### DISCLAIMER:

This document is in addition to, but not replacing, the information on the Material Safety Data Sheet (MSDS) and the Technical Leaflet (TL). Please read the MSDS and the TL of the product in order to comply with legal requirements and the TESCO requirements. The TL informs about the recommendations for proper application. Any user of our products is responsible for determining the suitability of CHT products for its particular application.

## 2. PRETREATMENT

### 2.1 BEISOL

BEISOL AFG  
BEISOL PES  
BEISOL T 2090

BEISOL HP  
BEISOL PRO

BEISOL HTS  
BEISOL SED

### 2.2 BEIXON

BEIXON ACID

BEIXON NE

BEIXON Q

### 2.3 CHT-AKTIVATOR

CHT-AKTIVATOR FBA

CHT-AKTIVATOR LBA

### 2.4 CHT-FASERSCHUTZ

CHT-FASERSCHUTZ RPY SPEZ

### 2.5 CHT-PUFFER

CHT-PUFFER FBA

CHT-PUFFER LBA

### 2.6 CONTAVAN

CONTAVAN BRT  
CONTAVAN TIG

CONTAVAN GAL  
CONTAVAN TIM

CONTAVAN ICE  
CONTAVAN VAN

### 2.7 COTOBLANC

COTOBLANC ASN

### 2.8 FELOSAN

FELOSAN APF  
FELOSAN FOX  
FELOSAN IFA  
FELOSAN NKB  
FELOSAN OT  
FELOSAN RIZ  
FELOSAN RNF

FELOSAN BFG  
FELOSAN HLD-N  
FELOSAN JET  
FELOSAN NOF  
FELOSAN RG  
FELOSAN RIZ 20

FELOSAN ELA  
FELOSAN HWR  
FELOSAN NFG  
FELOSAN NSP  
FELOSAN RG-N  
FELOSAN RIZ 40

### 2.9 FLUOREX

FLUOREX DEL

### 2.10 HANSA

HANSA AFE 5711  
HANSA SP 1050

HANSA CARE 7140

HANSA SP 1025

## 2.11 HEPTOL

HEPTOL B 81 200%  
HEPTOL EMG <sup>a</sup>  
HEPTOL NWS  
HEPTOL SF4 <sup>a</sup>

HEPTOL B 95  
HEPTOL ESW <sup>a</sup>  
HEPTOL NX  
HEPTOL WZB

HEPTOL CSA  
HEPTOL KEB  
HEPTOL ROE  
HEPTOL SOLAR+

## 2.12 KOLLASOL

KOLLASOL AD  
KOLLASOL CDO  
KOLLASOL HV  
KOLLASOL OCE

KOLLASOL CAR-N  
KOLLASOL CDS  
KOLLASOL IND  
KOLLASOL ZIP

KOLLASOL CDA  
KOLLASOL EDS-N  
KOLLASOL LOK

## 2.13 LAVOTAN

LAVOTAN DSU  
LAVOTAN NN 150 CONC  
LAVOTAN TBU

LAVOTAN DSU 100  
LAVOTAN SE  
LAVOTAN WAH 75

LAVOTAN NN  
LAVOTAN SE-C  
LAVOTAN WMS

## 2.14 NEUTRACID

NEUTRACID ENA  
NEUTRACID PAT

NEUTRACID NCS  
NEUTRACID WSG

NEUTRACID NVM 200

## 2.15 SUBITOL

SUBITOL AS6  
SUBITOL LS-N

SUBITOL ASN  
SUBITOL MLF

SUBITOL HPM  
SUBITOL RNC

## 2.16 TUBOBLANC

TUBOBLANC BV FL.  
TUBOBLANC CRL-S3  
TUBOBLANC ERN  
TUBOBLANC HA-PD  
TUBOBLANC MA-D3  
TUBOBLANC PT-O  
TUBOBLANC STU

TUBOBLANC COL  
TUBOBLANC DIK  
TUBOBLANC HA  
TUBOBLANC HM-PD  
TUBOBLANC PE-R  
TUBOBLANC RBV  
TUBOBLANC STU-B

TUBOBLANC CRL  
TUBOBLANC EBF  
TUBOBLANC HA-D3  
TUBOBLANC MA  
TUBOBLANC PT-B  
TUBOBLANC RUB  
TUBOBLANC VA

## 2.17 TUBOTEX

TUBOTEX OW

## 2.18 VARIO BLEACH

VARIO BLEACH 3E

## 2.19 WOLLPERMAN

WOLLPERMAN SA

<sup>a</sup> Fabrics finished only with this product show a formaldehyde value of < 16 ppm, if proper production parameters are kept.

### 3. DYEING

#### 3.1 BEIXON

BEIXON AB 200%

BEIXON BCA

#### 3.2 BEIZYM

BEIZYM ACE  
BEIZYM HC

BEIZYM BPN  
BEIZYM LTN 300

BEIZYM BPN 300  
BEIZYM UL

#### 3.3 BIAVIN

BIAVIN 109  
BIAVIN DFG  
BIAVIN TCC

BIAVIN BLI  
BIAVIN HP-FV  
BIAVIN TUZ

BIAVIN BPA  
BIAVIN PCV

#### 3.4 CHT-CATALASE

CATALASE FDP CONC

CHT-CATALASE BF

CHT-CATALASE CS

#### 3.5 CHT-DISPERGATOR

CHT-DISPERGATOR ORM <sup>a</sup>  
CHT-DISPERGATOR XHT

CHT-DISPERGATOR SMS <sup>a</sup>  
CHT-DISPERGATOR XHT-S

CHT-DISPERGATOR SMS HC <sup>a</sup>

#### 3.6 COLORCONTIN

COLORCONTIN BDF  
COLORCONTIN VGP

COLORCONTIN MCD

COLORCONTIN SAN

#### 3.7 COTOBLANC

COTOBLANC CSL 200 %  
COTOBLANC NSR  
COTOBLANC SE

COTOBLANC KRS  
COTOBLANC PCS  
COTOBLANC SEL

COTOBLANC KRS-M  
COTOBLANC RS  
COTOBLANC SEL 200

#### 3.8 EGASOL

EGASOL MD

EGASOL UP

#### 3.9 HEPTOL

HEPTOL B 81 200%  
HEPTOL SF4

HEPTOL B 95

HEPTOL CSA

#### 3.10 INTENSOL

INTENSOL OLI

#### 3.11 KERIOLAN

KERIOLAN A2N

<sup>a</sup> Fabrics finished only with this product show a formaldehyde value of < 16 ppm, if proper production parameters are kept.

### 3.12 MEROPAN

MEROPAN BGF  
MEROPAN CIT NEU <sup>a</sup>  
MEROPAN DPE  
MEROPAN KP  
MEROPAN LAT  
MEROPAN XR GRANULAT

MEROPAN BRE  
MEROPAN DA  
MEROPAN EF 200  
MEROPAN KWS <sup>a</sup>  
MEROPAN LS  
MEROPAN XRN PEARLS

MEROPAN CIT <sup>a</sup>  
MEROPAN DA 200  
MEROPAN EW  
MEROPAN LAP  
MEROPAN OJ

### 3.13 MIGRASOL

MIGRASOL SAP

### 3.14 NEUTRACID

NEUTRACID BO 45

NEUTRACID ENA

### 3.15 POLYAVIN

POLYAVIN PEN

### 3.16 REDULIT

REDULIT EX  
REDULIT RED <sup>a</sup>

REDULIT F

REDULIT GIN

### 3.17 RETINOL

RETINOL A

RETINOL M

### 3.18 REWIN

REWIN ACP  
REWIN DD  
REWIN FSN  
REWIN KF <sup>a</sup>  
REWIN KNR <sup>a</sup>  
REWIN OS  
REWIN TRG

REWIN ACP 200%  
REWIN DMT  
REWIN HRT  
REWIN KHT <sup>a</sup>  
REWIN KON  
REWIN SRF

REWIN CLE  
REWIN DWR  
REWIN KBL  
REWIN KMB <sup>a</sup>  
REWIN MRT  
REWIN TN

### 3.19 SARABID

SARABID 200 LL  
SARABID DLO CONC  
SARABID IPF  
SARABID LAZ <sup>a</sup>  
SARABID MIP-G  
SARABID PF

SARABID C 12 <sup>a</sup>  
SARABID DR <sup>a</sup>  
SARABID IPM  
SARABID LDR <sup>a</sup>  
SARABID OL  
SARABID TS 300

SARABID C 14 <sup>a</sup>  
SARABID IPD  
SARABID L <sup>a</sup>  
SARABID MIP <sup>a</sup>  
SARABID PAW  
SARABID WF

### 3.20 SARAPOL

SARAPOL BLU

### 3.21 Si-CONTROL

Si-CONTROL KKV

<sup>a</sup> Fabrics finished only with this product show a formaldehyde value of < 16 ppm, if proper production parameters are kept.

### **3.22 TUBACRYL**

TUBACRYL RI

TUBACRYL RV

### **3.23 VISCAVIN**

VISCAVIN CCP

VISCAVIN GFN

VISCAVIN S 700



## 4. FINISHING

### 4.1 ARRISTAN

ARRISTAN 64  
ARRISTAN 71  
ARRISTAN AIR  
ARRISTAN GH  
ARRISTAN HPC

ARRISTAN 66  
ARRISTAN 71 CONC  
ARRISTAN CPU  
ARRISTAN HM  
ARRISTAN SOLAR+

ARRISTAN 66 CONC  
ARRISTAN ACS<sup>b</sup>  
ARRISTAN EPD  
ARRISTAN HPA  
ARRISTAN TM

### 4.2 AVISTAT

AVISTAT 222  
AVISTAT AZ NEU

AVISTAT 3 P

AVISTAT AZ

### 4.3 CHT-CATALYST

CHT-CATALYST FS

### 4.4 CHT-ENTSCHÄUMER

CHT-ENTSCHÄUMER BS  
CHT-ENTSCHÄUMER MI 2000

CHT-ENTSCHÄUMER BSN

CHT-ENTSCHÄUMER K 50

### 4.5 CHT-KATALYSATOR

CHT-KATALYSATOR ABT

CHT-KATALYSATOR FS

KATALYSATOR CF

### 4.6 FLEXOFIX

FLEXOFIX A 30

FLEXOFIX FL.

### 4.7 HANSA

HANSA ASE 8645 Z1

### 4.8 iSys

iSys MTX

iSys SOLAR+

### 4.9 LUSTRAFFIN

LUSTRAFFIN BO  
LUSTRAFFIN LF CONC

LUSTRAFFIN BU  
LUSTRAFFIN SA 88

LUSTRAFFIN DBL

### 4.10 NOUWELL

NOUWELL CDL

NouWell RLX

### 4.11 POLYAVIN

POLYAVIN COP  
POLYAVIN PEN

POLYAVIN HELP  
POLYAVIN TEX

POLYAVIN HELP TEX  
POLYAVIN UFP

<sup>b</sup> Fabrics finished only with this product show a formaldehyde value of < 75 ppm, if proper production parameters are kept.

## 4.12 REAKNITT

REAKNITT KATALYSATOR GA    REAKNITT TIO <sup>b</sup>    REAKNITT ZF

## 4.13 TUBINGAL

TUBINGAL 3S  
TUBINGAL 2221  
TUBINGAL 3030  
TUBINGAL 9270  
TUBINGAL GHM  
TUBINGAL ISP  
TUBINGAL RGS  
TUBINGAL RSK  
TUBINGAL VWS

TUBINGAL 220  
TUBINGAL 2270  
TUBINGAL 4748  
TUBINGAL FMH  
TUBINGAL GSI  
TUBINGAL KRE  
TUBINGAL RMG  
TUBINGAL RTC

TUBINGAL 220 NEU  
TUBINGAL 2285  
TUBINGAL 7023  
TUBINGAL FSP  
TUBINGAL HWS  
TUBINGAL RGH  
TUBINGAL RRW  
TUBINGAL SMF

---

<sup>b</sup> Fabrics finished only with this product show a formaldehyde value of < 75 ppm, if proper production parameters are kept.

## 5. FIBRE AUXILIARIES

### 5.1 DURON

DURON 1105 PE  
DURON 7024  
DURON AF 2170  
DURON ASE 7620  
DURON ES 3176  
DURON FF 2084  
DURON K 3168  
DURON KG 2450  
DURON NV 2  
DURON OF 1547  
DURON OF 2148  
DURON OF 4012  
DURON OF 4066  
DURON OS 1547-LA  
DURON OS 3136  
DURON OS 4012  
DURON SG 2420  
DURON SL 2221  
DURON TX 2080  
DURON X 730

DURON 14  
DURON 7024/50%  
DURON AF 2215  
DURON EF 4044  
DURON ES 3184  
DURON FF 3185  
DURON K 4054  
DURON KG 3010  
DURON NV 7  
DURON OF 1547-AV  
DURON OF 3174  
DURON OF 4012 BOT  
DURON OS 1547  
DURON OS 2206  
DURON OS 3151  
DURON OS 4022  
DURON SI  
DURON SL 3204  
DURON VWS  
DURON 1105 PE

DURON 178  
DURON AC  
DURON AS 1711  
DURON ES 3165  
DURON FF 1995  
DURON HK 1040  
DURON KG 1710  
DURON KG 6001  
DURON OF 1510  
DURON OF 1547-LA  
DURON OF 3850  
DURON OF 4013  
DURON OS 1547-AV  
DURON OS 2221  
DURON OS 3176  
DURON P 1  
DURON SL 2206  
DURON SL 4069  
DURON WARP WAX 109

### 5.2 SILIC

SILIC

### 5.3 VITAGON

VITAGON RS 20



## 7. PRINTING & FLOCKING

### SCREEN PRINTING

#### 7.1 ALPA-OIL

ALPA-OIL 50

#### 7.2 ALPAPRINT

ALPAPRINT CAT  
ALPAPRINT WHITE

ALPAPRINT CLEAR

ALPAPRINT ELASTIC ADD

#### 7.3 ALPATEC

ALPATEC 3040 LSR KOMP. A  
ALPATEC 3060 LSR KOMP. B  
ALPATEC 30191 A  
ALPATEC 30203 B  
ALPATEC 730  
ALPATEC 750

ALPATEC 3040 LSR KOMP. B  
ALPATEC 30142 A  
ALPATEC 30191 B  
ALPATEC 30340 A  
ALPATEC 740  
ALPATEC 7610/60 C2 H.V.

ALPATEC 3060 LSR KOMP. A  
ALPATEC 30142 B  
ALPATEC 30203 A  
ALPATEC 30340 B  
ALPATEC 745

#### 7.4 ALPATRANS

ALPATRANS BOND

#### 7.5 COLORMATCH

COLORMATCH 001 WEISS

#### 7.6 KÖRAFORM

KÖRAFORM TM

#### 7.7 KÖRASOLV

KÖRASOLV GL

#### 7.8 PRINTPERFEKT

PRINTPERFEKT BASE FF  
PRINTPERFEKT BLANC FLEX <sup>a</sup>  
PRINTPERFEKT CLEAR  
PRINTPERFEKT DC 8  
PRINTPERFEKT LAC 77 <sup>a</sup>  
PRINTPERFEKT LAC LF <sup>a</sup>

PRINTPERFEKT BLANC 670 <sup>a</sup>  
PRINTPERFEKT BLANC LF <sup>a</sup>  
PRINTPERFEKT CRACK BASE <sup>a</sup>  
PRINTPERFEKT DC 8 WHITE  
PRINTPERFEKT LAC FF  
PRINTPERFEKT STIC SP 2

PRINTPERFEKT BLANC FF  
PRINTPERFEKT BLOCK FF  
PRINTPERFEKT CRACK PRE <sup>a</sup>  
PRINTPERFEKT GD 270  
PRINTPERFEKT LAC FLEX <sup>b</sup>

#### 7.9 TRANSLAC

TRANSLAC BOND 55

#### 7.10 TRANSPRINT

TRANSPRINT AF BASE

TRANSPRINT AF BLOCK

TRANSPRINT AF WHITE

<sup>a</sup> Fabrics finished only with this product show a formaldehyde value of < 16 ppm, if proper production parameters are kept.

<sup>b</sup> Fabrics finished only with this product show a formaldehyde value of < 75 ppm, if proper production parameters are kept.

### 7.11 TUBASSIST

TUBASSIST FIX 104 W

TUBASSIST FIX 120 W

TUBASSIST SOFTMELT

### 7.12 TUBIGUM

TUBIGUM DK 15

### 7.13 TUBILAC

TUBILAC 115 A <sup>a</sup>

TUBILAC 130 <sup>a</sup>

### 7.14 TUBIPERL

TUBIPERL ME 115 <sup>a</sup>

TUBIPERL SILVER <sup>a</sup>

### 7.15 TUBIPRINT

TUBIPRINT RETARDER

### 7.16 TUBISCREEN

TUBISCREEN DC-AGENT <sup>b</sup>  
TUBISCREEN GD-SILVER <sup>a</sup>

TUBISCREEN FAT 100 <sup>a</sup>

TUBISCREEN GD-G <sup>a</sup>

### 7.17 TUBIVIS

TUBIVIS DRL 170

### 7.18 TUBVINYL

TUBVINYL 235 FF  
TUBVINYL 235 MC WEISS  
TUBVINYL 270 FF WHITE

TUBVINYL 235 FF WHITE  
TUBVINYL 235 SL

TUBVINYL 235 MC  
TUBVINYL 270 FF

## FLOCK PRINTING

### 7.19 TUBASSIST

TUBASSIST ELASTOMELT 90 F  
TUBASSIST SOFTMELT

TUBASSIST ELASTOMELT 90 G

TUBASSIST MELT F

### 7.20 TUBVINYL

TUBVINYL 235 FF  
TUBVINYL 235 MC WEISS<sup>b</sup>  
TUBVINYL 270 FF WHITE  
TUBVINYL PRINT FF

TUBVINYL 235 FF WHITE  
TUBVINYL 235 SL<sup>b</sup>  
TUBVINYL BOND FF

TUBVINYL 235 MC<sup>b</sup>  
TUBVINYL 270 FF  
TUBVINYL BOND FF WEISS

<sup>a</sup> Fabrics finished only with this product show a formaldehyde value of < 16 ppm, if proper production parameters are kept.

<sup>b</sup> Fabrics finished only with this product show a formaldehyde value of < 75 ppm, if proper production parameters are kept.

## **YARDAGE PRINTING**

### **7.21 CHT-ALGINAT**

CHT-ALGINAT HV 4

CHT-ALGINAT NV 10

CHT-ALGINAT SMT

### **7.22 PADICOLL**

PADICOLL CA-AF<sup>a</sup>  
PADICOLL ONE<sup>a</sup>  
PADICOLL PRO

PADICOLL DYE  
PADICOLL PAD

PADICOLL MV  
PADICOLL PADYE

### **7.23 PRINTOBLANC**

PRINTOBLANC P 100

PRINTOBLANC P 300

### **7.24 PRISULON**

PRISULON CMS 10  
PRISULON R 5  
PRISULON T 10

PRISULON CR-F 40  
PRISULON RD 45-G

PRISULON CR-F 50  
PRISULON SPE 7000

### **7.25 RAPIDOPRINT**

RAPIDOPRINT CT AF  
RAPIDOPRINT LM  
RAPIDOPRINT TM 2

RAPIDOPRINT H 4  
RAPIDOPRINT RRE  
RAPIDOPRINT W NEU

RAPIDOPRINT HL  
RAPIDOPRINT SC 10  
RAPIDOPRINT XR GRANULAT

### **7.26 TUBIFAST**

TUBIFAST AS 30<sup>a</sup>  
TUBIFAST AS 5087 FF

TUBIFAST AS 4010 FF

TUBIFAST AS 4510<sup>a</sup>

### **7.27 TUBIFIX**

TUBIFIX P 70

### **7.28 TUBIGAT**

TUBIGAT A 60

TUBIGAT A 80

TUBIGAT R 25

### **7.29 TUBIGUM**

TUBIGUM DK 15

### **7.30 TUBILAC**

TUBILAC 55 NF

### **7.31 TUBILUX**

TUBILUX TD 90 NF

---

<sup>a</sup> Fabrics finished only with this product show a formaldehyde value of < 16 ppm, if proper production parameters are kept.

### 7.32 TUBIPERL

TUBIPERL SILVER <sup>a</sup>

### 7.33 TUBIPRINT

TUBIPRINT BL  
TUBIPRINT WEISS 500 NF  
TUBIPRINT WEISS K 90

TUBIPRINT WEISS 435 <sup>a</sup>  
TUBIPRINT WEISS K 70

TUBIPRINT WEISS 500 AV <sup>a</sup>  
TUBIPRINT WEISS K 80

### 7.34 TUBISCREEN

TUBISCREEN DC 25 <sup>b</sup>  
TUBISCREEN GD 200  
TUBISCREEN GD-G <sup>a</sup>  
TUBISCREEN GD-SILVER

TUBISCREEN DC-AGENT <sup>b</sup>  
TUBISCREEN GD 300  
TUBISCREEN GD-G CONC. <sup>a</sup>  
TUBISCREEN MET <sup>a</sup>

TUBISCREEN FAT 100 <sup>a</sup>  
TUBISCREEN GD-BASIC <sup>a</sup>  
TUBISCR. GD-G CONC GOLD <sup>a</sup>

### 7.35 TUBISOFT

TUBISOFT PCE  
TUBISOFT SEO

TUBISOFT PS

TUBISOFT SEM

### 7.36 TUBIVIS

TUBIVIS DL 600  
TUBIVIS STAR

TUBIVIS DL 650

TUBIVIS DLO

## PRINT SYSTEMS FOR WALLPAPERS

### 7.37 TUBIWALL

TUBIWALL C-GD-G <sup>a</sup>

TUBIWALL C-ME 200 <sup>a</sup>

## INKJET PRINTING

### 7.38 TUBIJET

TUBIJET DU 01  
TUBIJET PUS

TUBIJET KSM <sup>a</sup>

TUBIJET NWA

<sup>a</sup> Fabrics finished only with this product show a formaldehyde value of < 16 ppm, if proper production parameters are kept.

<sup>b</sup> Fabrics finished only with this product show a formaldehyde value of < 75 ppm, if proper production parameters are kept.



## 8. GARMENT & JEANS

### 8.1 BEISOL

BEISOL AFG-G

BEISOL T 2090-G

### 8.2 BEIZYM

BEIZYM ACE-G  
BEIZYM HC-G  
BEIZYM NGS  
BEIZYM UL-G

BEIZYM BPN 300-G  
BEIZYM LTN 300-G  
BEIZYM NGS-SB

BEIZYM BPN-G  
BEIZYM LTN-G  
BEIZYM TOP PLUS

### 8.3 DENIMCOL

DENIMCOL AR  
DENIMCOL BINDER-PAC <sup>a</sup>  
DENIMCOL BLANC-HAD3  
DENIMCOL BUFFER-NVM 200  
DENIMCOL CLEAN-ABS NEU  
DENIMCOL CLEAN-JWP  
DENIMCOL DIS-MIP <sup>a</sup>  
DENIMCOL FIX-ACP  
DENIMCOL FIX-FSN  
DENIMCOL FIX-OS  
DENIMCOL LAC-LRE  
DENIMCOL LUB-109  
DENIMCOL NCD  
DENIMCOL RES-FS  
DENIMCOL SEL 200  
DENIMCOL SOFT-66  
DENIMCOL SOFT-71 CONC  
DENIMCOL SOFT-4748  
DENIMCOL SOFT-KRE  
DENIMCOL SOFT-RSK  
DENIMCOL SPEC-AS 30 <sup>a</sup>  
DENIMCOL SPEC-DAP  
DENIMCOL SPEC-EPD  
DENIMCOL SPEC-GD 200  
DENIMCOL SPEC-HEC  
DENIMCOL SPEC-MGC <sup>a</sup>  
DENIMCOL SPEC-PUS  
DENIMCOL SPEC-WEISS K 70  
DENIMCOL WASH-DSU  
DENIMCOL WASH-SE

DENIMCOL BINDER-CA <sup>a</sup>  
DENIMCOL BINDER-RE NEU  
DENIMCOL BLANC-HAS4  
DENIMCOL BUFFER-KP  
DENIMCOL CLEAN-CSM  
DENIMCOL CLEAN-SMX  
DENIMCOL DIS-OL  
DENIMCOL FIX-ACP 200%  
DENIMCOL FIX-GF  
DENIMCOL GAL  
DENIMCOL LEV-M  
DENIMCOL LUB-BPA  
DENIMCOL PCS  
DENIMCOL RES-TIO<sup>b</sup>  
DENIMCOL SOFT RGH  
DENIMCOL SOFT-66 CONC  
DENIMCOL SOFT-220  
DENIMCOL SOFT-9270  
DENIMCOL SOFT-PEN  
DENIMCOL SOFT-VWS  
DENIMCOL SPEC-BU  
DENIMCOL SPEC-DC25 <sup>b</sup>  
DENIMCOL SPEC-FIX H26  
DENIMCOL SPEC-GD 300  
DENIMCOL SPEC-LAC 110 <sup>a</sup>  
DENIMCOL SPEC-MGR <sup>a</sup>  
DENIMCOL SPEC-TD 90  
DENIMCOL SPEC-zeroF 1 <sup>a</sup>  
DENIMCOL WASH-POO  
DENIMCOL WASH-WN

DENIMCOL BINDER-FFA  
DENIMCOL BLANC-HA  
DENIMCOL BSN  
DENIMCOL CDA  
DENIMCOL CLEAN-JWH  
DENIMCOL DIS-KEB  
DENIMCOL DIS-SMS <sup>a</sup>  
DENIMCOL FIX-CTK  
DENIMCOL FIX-MRT GS  
DENIMCOL HV  
DENIMCOL LOK  
DENIMCOL LUB-TCC  
DENIMCOL RES-ABT  
DENIMCOL RES-ZF  
DENIMCOL SOFT-64  
DENIMCOL SOFT-71  
DENIMCOL SOFT-2270  
DENIMCOL SOFT-HWS  
DENIMCOL SOFT-RMG  
DENIMCOL SPEC-AF <sup>a</sup>  
DENIMCOL SPEC-CPU  
DENIMCOL SPEC-DCA<sup>b</sup>  
DENIMCOL SPEC-FTL  
DENIMCOL SPEC-GOLD <sup>a</sup>  
DENIMCOL SPEC-LUSTER <sup>a</sup>  
DENIMCOL SPEC-PG  
DENIMCOL SPEC TW BASE <sup>a</sup>  
DENIMCOL WASH-CPD  
DENIMCOL WASH-RGN  
DENIMCOL XRN PEARLS

### 8.4 organIQ

organIQ ASSIST

organIQ BLEACH T

organIQ BUFFER AO

<sup>a</sup> Fabrics finished only with this product show a formaldehyde value of < 16 ppm, if proper production parameters are kept.

<sup>b</sup> Fabrics finished only with this product show a formaldehyde value of < 75 ppm, if proper production parameters are kept.



# CHT

**SMART CHEMISTRY  
WITH CHARACTER.**

**CHT Germany GmbH** | Bismarkstraße 102 | 72072 Tübingen | Germany  
Phone +49 7071 154-0 | Fax +49 7071 154-290 | [www.cht.com](http://www.cht.com) | [info@cht.com](mailto:info@cht.com)

**CHT Switzerland AG** | Kriessernstrasse 20 | 9462 Montlingen | Switzerland  
Phone +41 71 7638811 | Fax +41 71 7638888 | [info.switzerland@cht.com](mailto:info.switzerland@cht.com)